Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



H 292.9 So 3 Wa Cop. 3

WATER SUPPLY OUTLOOK FOR UTAH



U. S. DEPARTMENT of AGRICULTURE * SOIL CONSERVATION SERVICE

Collaborating with

UTAH STATE DEPARTMENT OF NATURAL RESOURCES
-- DIVISION OF WATER RIGHTS

JUNE 1, 1975

Data included in this report were obtained by the agencies named above in cooperation with Federal, State and private organizations listed inside the back cover of this report.

TO RECIPIENTS OF WATER SUPPLY OUTLOOK REPORTS.

Most of the usable poter in western states originates as mountain snowfall. This snowfall accumulates during the winter and spring, several months before the snow melts and appears as streamflow. Since the runoff from precipitation as snow is delayed, estimates of snowmelt runoff can be made well in advance of its occurrence. Streamflow forecasts published in this report are based principally on measurement of the water equivalent of the mountain snowpack.

Forecasts become more accurate as more of the data affecting runoff are measured. All forecasts assume that climatic factors during the remainder of the snow accumulation and melt season will interact with a resultant average effect on runoff. Early season forecasts are therefore subject to a greater change than those made on later dates.

The snow course measurement is obtained by sampling snow depth and water equivalent at surveyed and marked locations in mountain areas. A total of about ten samples are taken at each location. The average of these are reported as snow depth and water equivalent. These measurements are repeated in the same location near the same dates each year.

Snow surveys are made monthly or semi-monthly from January 1 through June 1 in most states. There are about 1900 snow courses in Western United States and in the Columbia Basin in British Columbia. Networks of automatic snow water equivalent and related dato sensing devices, along with radio telemetry are expanding and will provide a continuous record of snow water and other parameters of key locations.

Detailed data on snow course and soil moisture measurements are presented in state and local reports. Other data on reservoir storage, summaries of precipitation, current streamflow, and soil moisture conditions at valley elevations are also included. The report for Western United States presents a broad picture of water supply outlook conditions, including selected streamflow forecasts, summary of snow accumulation to date, and storage in larger reservoirs.

Snow survey and soil moisture data for the period of record are published by the Soil Conservation Service by states about every five years. Data for the current year is summarized in a West-wide basic data summary and published about October 1 of each year.

Cover Photo: Cabins near Sacajawea Snow Course in Bridger Mountains, Montana.

PUBLISHED BY SOIL CONSERVATION SERVICE

The Soil Conservation Service publishes reports following the principal snow survey dates from January 1 through June 1 in cooperation with state water administrators, agricultural experiment stations and others. Copies of the reports for Western United States and all state reports may be obtained from Soil Conservation Service, West Technical Service Center, Room 111, 511 N.W. Broadway, Portland, Oregon 97209.

Copies of state and local reports may also be obtained from state offices of the Soil Conservation Service in the following states:

STATE	ADDRESS
Alaska	204 E. 5th. Ave., Room 217, Anchorage, Alaska 99501
Arizona	6029 Federal Building, Phoenix, Arizona 85025
Colorado (N. Mex.)	P. O. Box 17107, Denver, Colorado 80217
Idaho	Room 345, 304 N. 8th. St., Boise, Idaho 83702
Montana	P.O. Box 98, Bozeman, Montana 59715
Nevada	P. O. Box 4850, Reno Nevada 89505
Oregon	1218 S. W. Washington St., Portland, Oregon 97205
Utah	4012 Federal Bldg., 125 South State St., Salt Lake City, Utah 841 38
Washington	360 U.S. Court House, Spokane, Washington 99201
Wyoming	P. O. Box 2440, Casper, Wyoming 82601

PUBLISHED BY OTHER AGENCIES

Water Supply Outlook reports prepared by other agencies include a report for California by the Water Supply Forecast and Snow Surveys Unit, California Department of Water Resources, P. O. Box 388, Sacramento, California 95802 --- and for British Columbia by the Department of Lands, Forests and Water Resources, Water Resources Service, Parliament Building, Victoria, British Columbia



WATER SUPPLY OUTLOOK FOR UTAH

and FEDERAL - STATE - PRIVATE COOPERATIVE SNOW SURVEYS

Issued by

KENNETH E. GRANT

ADMINISTRATOR
SOIL CONSERVATION SERVICE
WASHINGTON, D.C.

Released by

A. W. HAMELSTROM

STATE CONSERVATIONIST SOIL CONSERVATION SERVICE SALT LAKE CITY, UTAH

In Cooperation with


DEE C. HANSEN

STATE ENGINEER
DIVISION OF WATER RIGHTS
UTAH STATE DEPT. OF NATURAL RESOURCES

Report prepared by

BOB L. WHALEY, Snow Survey Supervisor and DAVID C. McWHIRTER, Assistant Snow Survey Supervisor

SOIL CONSERVATION SERVICE SNOW SURVEY SECTION 4012 FEDERAL BUILDING SALT LAKE CITY, UTAH 84138



WATER SUPPLY OUTLOOK

as of June 1, 1975

SNOW COVER

As a result of unseasonably cold temperatures during May, record high snow water content for the June 1 measurements occurred throughout the state. This year is similar to the late snow years of 1957, 1965, and 1968. All time records for June 1 water content have been set on more than 30 snow courses in Utah and 12 of these courses have always reported no snow on June 1 in the past. Snow surveys taken the last week of May indicate that the snow line was still down to the 7,000 foot level on the Bear, Ogden, and Jordan Rivers and down to the 7,500 foot level on the Weber and Provo Rivers. On the Upper Green and Duchesne River drainages, the snow level was still generally down to the 8,000 foot level. Even southern Utah had snow at the 8,500 foot level.

The Klondike Narrows snow course on the Logan River has an average June 1 snow water content of 1.0 inches, but this year reported 13.7 inches of water. The previous high water content on that course was 2.8 inches in 1967. On the Ogden River, Ben Lomond Peak still had 52.3 inches of water and a snow depth of 107 inches, far exceeding the previous high of 19.4 inches for June 1. Parley's Canyon Summit and Smith & Morehouse snow courses on the Weber River never have had snow on June 1, but this year reported 10.3 and 5.3 inches, respectively. On the Provo River, Soapstone Ranger Station never has had snow by the June 1 reading, but had 2.9 inches of water; and Trial Lake snow course was 156% of the June 1 average. Silver Lake (Brighton) on Big Cottonwood Creek near Salt Lake City still had 35.8 inches of water, above the average of 15.0 inches and record high of 29.1 inches. In the Uinta Basin, Mosby Mountain on Ashley Creek at 9.2 inches of snow water content was nearly 3 times the June 1 average and equalled the previous all time high of 1968. Lakefork Mountain was 259% of average but was slightly below the record high of 12.2 set in 1965. Steel Creek Park snow course between the Smith's Fork and Black's Fork drainages had 21.5 inches of water, slightly above the all time high of 19.9 inches reported in 1968. In southern Utah on the Virgin River, Webster Flat snow course with 9.2 inches was more than 4 times the June 1 average but was below the all time record. On the Ephraim Creek drainage, GBRC Headquarters at 13.9 inches was 5 times its average for June 1 and above the previous record of 11.2 inches in 1965. Midway Valley on the Upper Sevier was 189% of the June 1 average and slightly below the all time record set for that course in 1957.

PRECIPITATION

Mountain precipitation station readings range from near average to better than 3 times average for May. Heavy precipitation areas were on the Weber, Provo, Duchesne and Price and Ashley drainages which were 2 to 3 times average. Other areas of the state were generally average to 2 times average.

WATER SUPPLY OUTLOOK (continued)

RESERVOIR STORAGE

Most Utah reservoirs, excluding Colorado River storage reservoirs, are full or expected to fill in early June except for Minersville, Sevier Bridge and maybe Moon Lake. Reservoirs on the Weber and Ogden Rivers released water earlier to assist in reducing peak flows but are now filling as planned.

Utah Lake is 0.31 foot above compromise level and Great Salt Lake was 4201.35 feet above mean sea level and 0.05 foot above the peak level last year and the highest level reached in 46 years, according to the U.S. Geological Survey.

STREAMFLOW

Above normal May precipitation at most mountain stations is expected to cause flows higher than forecast on May 1 throughout the state except on the Beaver River, Antimony Creek, and East Fork of the Sevier near Kingston. The forecast for Hardscrabble Creek near Porterville appears to be even higher than previously forecast, and reports from local landowners indicate higher peak flows than any in the last 40 years.

Streamflow during May ranged from 41% of average on Whiterocks River in Uinta Basin to 165% of average on San Juan River near Bluff. Measurements on seven key gaging stations were 89% of average as compared to 113% a year ago, according to the U.S. Geological Survey. Snow melt was retarded by below normal temperatures, and it is expected that runoff for the later part of the snow melt season will be much above average.

SNOW		THIS YEAR		PAST F	RECORO	PRECIPI		(Inches			
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Oepth (inches)	Water Content (Inches)	Water Cont	tent (inches)	Oate of Reading	Month's Precipitation	Average +	FROM A	PPROX. OCT I	Percent of Average
GREAT BASIN					2 Yrs.	Results	·				Average
UPPER BEAR RIVER (Above Harer, Idaho)											
Burts-Miller Ranch Hayden Fork Monte Cristo Ranger Station Salt River Summit Stillwater Camp	5/27 5/27 5/28 No Jun 5/27	0 37 58 • Measur 10	0.0 16.3 26.9 ement 2.9	0.0 17.0 6.0	0.0 0.0 5.9 0.0	5/27 5/27 5/28 5/30 5/27	2.75 5.30 4.73 3.15 3.45	2.32a 3.88a 2.27b 1.45 2.22	13.99 31.99 37.94 26.50 19.87	28.60a	100 112 107 128 115
LOWER BEAR RIVER (Below Harer, Idaho)										-	
Franklin Basin* Carden City Summit Klondike Narrows* Little Bear (upper) Little Bear (lower)* Steep Hollow #1 Steep Hollow #2 Tony Grove Ranger Station*	5/28 5/28 5/28 5/28 5/28 5/28 5/28 5/28	65 24 29 0 0 100 55	31.2 10.0 13.7 0.0 0.0 48.2 26.1 0.0	0.0 0.0 0.0 29.9 5.0 0.0	0.0 0.0 0.0 13.0 0.0 0.0	5/28 5/28 5/28 5/28 5/28	2.65 Data	ot Avai 1.88b ot Avai ot Avai	25.83 lable -	25.24b USU USU	102
Clarkston Mountain* Deer Springs* OGDEN RIVER						5/28 5/28	Data	ot Avai ot Avai	lable -	USU	
Beaver Creek Skunk Creek Ben Lomond (lower) Ben Lomond Peak*	5/28 5/28 5/28	0 5 107	0.0 2.3 52.3	0.0 0.0 4.9	0.0 0.0 16.2	5/28	5.17	2.86b	42.87	32.18b	133
Causey Dam						5/28	2.79	1.59a	21.28	18.23a	117
Cutler Creek Dry Bread Pond Sagebrush Flat	5/28 5/28 5/28	76 44 0	36.0 21.1 0.0	0.0	0.0	5/28 5/28	3.63 2.35	2.22b 1.41b	35.04 22.63	27.38b 18.29b	128 124
WEBER RIVER											
Beaver Creek R.S Chalk Creek #1 Chalk Creek #2* Chalk Creek #3 Farmington Canyon (lower) Farmington Canyon (upper)	5/29 5/27 5/27 5/27 6/4 5/29	0 62 27 0 Measu 102	0.0 26.4 10.8 0.0 rement D 48.6	14.8 0.0 0.0 elayed	11.4 0.0 0.0	5/27 5/27	Data 1 3.67	Tot Avai 2.17b	lable - 21.42	บรบ 17.76b	121
Farmington Canyon G.S. Horse Ridge	6/4 5/29		rement D		0.0	5/28	4.65	2.21a	37.08	32.87a	113
Kilfore Creek Lost Creek Reservoir	5/29 5/29	2	0.9			5/29	2.16		16.58		
Parleys Canyon Summit Redden Mine (lower)	5/29 5/29	23 38	10.3 17.5	0.0	0.0	5/29	6.55	2.09	40.24	28.82	140
Redden Mine (upper) Sargeant Lakes A Smith & Morehouse	5/28	13	5.3	0.0	0.0	5/29 6/4 5/28	5.65 Measur 5.41	2.56a ement D 2.18	37.55 elayed 28.24	27.57a 24.21	-136 117
PROVO RIVER & UTAH LAKE											
Beaver Creek Divide	5/22	19	5.5								
Camp Altamont Clear Creek Ridge #1 Clear Creek Ridge #2 Clear Creek Ridge #3 Dutchman Ranger Station	5/29 5/28 5/28 5/28 5/30	0 37 8 0	0.0 17.2 3.1 0.0 6.8	0.0 0.0 0.0 0.0	0.0	5/28 5/30	5.30	1.79	22.99	20.34	113
East Shingle Lake A Hobble Creek Summit	5/29 5/29	92	41.0	0.0	0.0	5/29	5.30	1.91	28.65	21.62	132
Packard Canyon Payson Ranger Station	5/29 5/27	0 20	0.0 9.2	0.0	0.0	5/27	4.20	1.83	24.80	23.00	108
Rock Bridge Soapstone Ranger Station	5/27 5/29	0 7	0.0 2.9	0.0	0.0	5/28	5.10	1.71	26.91	20.64	130
South Fork Ranger Station Timpanogos Cave Camp Timpanogos Divide Trial Lake	5/29 5/29 5/29 5/29	0 0 42 69	0.0 0.0 20.6 31.0	0.0 0.0 0.0 21.6	0.0 18.0	5/31 5/29	4.80 5.90	2.54	36.38	29.98	121

SNOW	PAST F	ECORD	PRECIPI								
ORAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Cont Last Year	ent (inches)	Date of Reading	Month's Precipitation	ATION Average +	FROM A	PPROX. DCT Average	
JORDAN RIVER & SALT LAKE					2 Yrs.						
Bevan's Cabin Lamb's Canyon Lamb's Canyon #2 Middle Canyon - Tooele Mill Creek Mill D South Fork Silver Lake (Brighton) Vernon Creek	5/28 5/30 5/30 5/28 5/28 5/29 5/29 5/29	0 6 11 10 50 33 56 0	0.0 2.2 4.3 4.6 23.0 16.5 35.8 0.0	0.0 0.0 0.0 0.0 0.0 0.0	Ago 0.0 0.0 0.0 0.0 8.5 0.0	5/28	2.80	2.40b	25.58	23.21b	
UPPER SEVIER RIVER (South of Richfield, Utah)											
Castle Valley Duck Creek Ranger Station Kimberly Mine Midway Valley Panguitch Lake Widtsoe Escalante #3 Widtsoe Escalante #2 Widtsoe Ranger Station	5/28 5/29 5/29 5/26 5/28 5/30 5/30	0 0 28 47 0 2 4	0.0 0.0 11.6 22.9 0.0 0.6 1.5	0.0 0.0 0.0 0.0 0.0 0.0	0.0 0.0 3.0 21.8 0.0 0.0	5/28 5/29 5/29 5/29 5/28 5/30 5/28	2.37 3.00 3.98 4.70 1.68 1.62	1.47 1.71 2.17 .88 1.66	22.39 24.35 27.32 32.90 12.08 20.03	18.99 22.08 23.18 9.29 17.10	118 110 118 130 117
LOWER SEVIER RIVER (Including San Pitch)											
Beaver Dams Farnsworth Lake G.B.R.C. Headquarters G.B.R.C. Majors G.B.R.C. Meadows G.B.R.C. Oaks Gooseberry Ranger Station Mammoth R.SCtnwood Creek Mt. Baldy Ranger Station Oak Creek Pine Creek Shingle Mill	5/29 5/23 5/30 5/30 5/30 5/23 5/28 5/29 5/29 5/30 5/30	0 56 30 65 20 39 59 0 21	0.0 24.5 13.9 30.1 8.4 19.3 26.6 0.0 10.3 0.0	0.0 0.0 7.3 0.0 0.0 13.1 0.0 0.0 0.0	18.2 1.0 17.8 	5/29 5/23 5/30 5/30 5/30 5/30 5/23 5/28 5/29 5/29 5/30 5/30	2.85 3.20 4.50 2.85 4.05 3.25 2.40 4.50 3.35 5.39 4.64 4.38	2.14 2.79 2.01 2.08b 2.44b 1.58b 2.02 2.00b 2.67b 1.72a 3.00 2.06b	22.75 30.50 28.70 16.42 34.13 19.78 21.10 32.05 28.30 26.79 35.58 26.47	18.22 26.22 23.35 	125 116 123 114 132 120 141 116 137
BEAVER RIVER											
Beaver Canyon Power House Big Flat Merchant Valley Otter Lake	5/30 5/30 5/30	41 0 24	18.0 0.0 9.1	4.9 0.0	19.8 0.0 7.8	5/31 5/30 5/30	1.84 2.57 2.31	1.37 2.79b 2.35a	12.71 22.68 19.58	12.37 22.52b 19.36a	103 101 101
PAROWAN CREEK											
Brian Head Tall Poles Yankee Reservoir	5/29 5/29 5/29	41 16 0	14.9 4.8 0.0	0.0 0.0 0.0	19.6 6.0 0.0	5/29 5/29	2.80 2.70	1.67a 1.43	23.70 20.35	23.77a 14.77	100 129
ENTERPRISE TO NEW HARMONY DRAINAGES											
Little Grassy Creek Long Flat	5/30 5/28	0	0.0	0.0	0.0	5/30 5/28	2.00 2.15	.88 1.23b	19.60 20.70	15.61 14.24b	126 145
COLORADO RIVER BASIN											
UPPER GREEN RIVER - UTAH											
Ashley Twin Lakes A Blacks Fork Junction Blacks Fork G.SEast Fork Buck Pasture A	5/27 5/27 5/27	13 20 51	3.8 6.6 16.8	0.0	0.0	5/27 5/27	3.75 4.35	2.35b 2.44b	17.00 20.27	16.82b 17.55b	101 116
Burnt Creek Grizzly Ridge Henry's Fork A	5/22 5/22	24 36	3.9	0.0	0.0	5/22 5/22	7.25 7.86	2.84 2.64b	19.81 22.07	14.91 19.33b	133 114

SNOW		THIS YEAR			RECORO	PRECIPI		(Inches)			
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Cont	ent (inches)	Oate of Reading	Month's Precipitation	+	This Year	Average †	Percent of Average
			1		2 Yrs.						
UPPER GREEN - (Continued)		-			Ago						
Hewinta G.S. King's Cabin (upper)	5/27 5/22	21 27	6.6	0.0	0.0	5/27 5/22	4.82	2.51b 2.60	20.30	18.40ь 16.81	110 125
King's Cabin (upper) King's Cabin (lower)	5/22	16	3.9			1 3/22	7.00	2.00	20.90	10.01	123
Reynolds Park A											
Windy Park A Steel Creek Park	5/27	57	21.5								
	3/2/	3/	21.5								
DUCHESNE_RIVER											
Atwood Basin A Brown Duck Ridge	5/29	59	23.7			5/28			18.68		
Chepeta-Whiterocks Lakes A											
Currant Creek Daniels-Strawberry Summit	5/23 5/28	0	0.0	0.0	0.0	5/22 5/28	3.95	1.34b 1.64	20.90	17.24b 22.17	121 119
Five Point Lake A	3/20	"	2.0	0.0	0.0] 3/20	3.95	1.04	20.31	22.1/	119
Indian Canyon	5/23	25	7.2	0.0	0.0	5/23	3.70	1.71b	24.00	17.37	138
Jackson Park	5/29	45	16.9			1					,
Lake Basin Lakefork Basin A	5/29	88	41.3			5/29	4.57		27.73		
Lakefork Mountain	5/27	33	11.4	0.0	0.0	5/27	4.32	2.26	22.82	17.49	130
Lakefork Mountain #2	5/27	0	0.0	0.0	0.0						
Lakefork Mountain #3	5/27	0	0.0	0.0	0.0						
Lightning Lake A Mosby Mountain	5/28	28	9.2	0.0	0.0	5/28	5.60	2.65a	23.25	15.91a	146
Paradise Park	5/28	37	13.6	0.0	5.9	5/28	6.09	2.50	25.44	20.56	124
Rock Creek	5/29	0	0.0	0.0	0.0	5/29	4.27	1.59	20.66	14.79	140
Trout Creek	5/29	30	9.1			5/29	9.05		20.80		
PRICE RIVER											
Gooseberry Reservoir	5/29	39	18.7	0.0	0.0	5/28	5.15	2.04	32.25	23.62	136
Mud Creek #2	5/30	0	0.0	0.0	0.0	5/28	4.30	1.66	23.76	18.56	128
White River #1	5/30	14 .	6.0	0.0	0.0	5/30	4.55	1.41	22.90	18.30	125
SAN RAFAEL RIVER											
Buck Flat	5/28	34	13.2	0.0	0.0	5/28	4.00	2.15	28.80	22.43	128
Orange Olsen	5/27	.54	0.0	0.0	0.0	5/27	1.55	.79a	12.20	10.85a	112
Rush Pond	5/28	26	9.1								
Stuart Ranger Station	5/29	0	0.0	0.0	0.0	5/29	2.90	1.40ъ	17.90	15.72Ъ	114
FREMONT RIVER											
Blacks Flat-U.M. Creek	5/27	10	4.0	0.0	0.0	5/27	2 20	1 01	10 (1	16.00	1.00
Fish Lake	5/27	0	0.0	0.0	0.0	5/27	2.28 1.54	1.81 1.40ь	19.61 15.17	16.28 12.48b	120 122
						-,			23.17	12.,00	1
MILL CREEK											
LaSal Mountain (upper)	5/30	10	3.2	0.0	5.6	5/30	3.45	2.31ь	22.80	20.57Ь	111
LaSal Mountain (lower)	5/30	0	0.0	0.0	0.0						
CAN THAN DIVED											
SAN JUAN RIVER											
Buckboard Flat	5/28	0	0.0	0.0	2.4	5/28	2.45	1.73	29.12	22.26	131
Camp Jackson	5/28	0	0.0	0.0	0.0	5/28	1.65	1.33ь	26.80	19.28Ъ	139
Monticello City Park	5/28	0	0.0	0.0							
VIRGIN RIVER											
Kolob Crystal**	5/27	33	10 0			5/27	2 00				
Webster Flat	5/27	13	18.2 9.1	0.0	6.9	5/27 5/27	3.00	1.90ь	32.10	24.98	 128
· · ·						- / - /		2.,,55	52.10		120
a - Partly Estimated	1 1										
b - Average of all past record + - 1958-72 Average	d - less	than 15	years								
* - USU-SCS Cooperative Radio	Reading										
** - SCS Radio Reading											
A - Aerial Marker Reading				l							958-1972 period.

SNOW		THIS YEAR		1	RECORD		TATION RENT INFORM			PPROX. DCT I	TO 04
DRAINAGE BASIN and/or SNOW COURSE NAME	Date of Survey	Snow Depth (Inches)	Water Content (Inches)	Water Con-	Average †	Date of Reading	" Month's Precipitation	. +	This Year	Average +	Percent o Average
			I		<u> </u>			T			Averag
		ADDIT	IONS AND	CORRECT	IONS TO	PREVIOUSI	Y PUBLIS	HED 197	5 DATA		
										,	
ANUARY 1, 1975											
Stuart Ranger Station (Old)	1/6	18	3.1	2.0	5.4						
Stuart Ranger Station (New) White River #1	1/6 1/7	19 32	3.1 5.5	2.0	4.7						
White River #2	1/7	25	3.8		4.5						
White River #3	1/7	21	3.6		5.4						
EBRUARY 1, 1975											
Jackson Park	1/31	38	8.7								
Kolob-Crystal Middle Canyon - Tooele	2/3 1/29	44 35	10.6	12.3	8.0						
Rainbow Point	2/7	21	4.9	5.1							
Vernon Creek	1/29	21	5.9	8.3				ĺ			
MARCH 1, 1975											
No Corrections											
APRIL 1, 1975											
No Corrections											
No dellections											
MAY 1, 1975											
	4 400	, ,	1/ 0	10.0	2 /						
Bevan's Cabin Vernon Creek	4/29 5/3	43 22	14.9 9.0	10.0	3.4						
vernon orden	-,-						*				
]						
				,							
		ľ									



UTAH

1975 ALBERS EQUAL AREA PROJECTION



BASINS
RIVER
COLORADO
UPPER
ಂಕ
BEAR
UTAH,
2
INDEX

ELEV	9,800	10,250 10,300 10,300 7,800 7,800 11,560 11,300 10,800	10,200 8,900 8,100 10,950 9,500 10,100 7,900 10,150 10,150	8,200 7,800 8,700 7,970 7,600 8,300 9,100 8,550 7,600	9,400 9,400 10,880 10,980 9,900 9,900	9,200	9,250 9,800 8,700 8,850	9,000 8,600 8,800 9,400 7,050	9,500 9,500 9,500	9,250 7,500 9,200			
RGE	11E 20E	15E 6W 17E 10W 12W 5W 8W 8W		146 86 56 136 77 77 76 76 136 86 86	4 4 4 6 E E E E E E E E E E E E E E E E	4E 4E	3E 1E 2E	22E 22E 24E 24E 23E	<u>***</u>	W9 W6			ge erature
TWP	<u> </u>	22 22 23 24 25 25 25 25 25 25 25 25 25 25 25 25 25	10	135 125 135 145 125 145 145 105 105	195 165 175 175 165 195	20S 20S	245 305 265 255	335 345 275 275 335	34S 34S 34S	385 375			Parker. itation Gay
SEC.	23	21 22 33 33 23 23 23 23 23 23	2 & 3 27 27 27 27 27 28 34 & 3;	32 25 25 32 32 30 30	23 12 24 25 8 & 9 21 27	34 27	33 33 33	NAGES 36 22 3 3 25 25	22 22 22	25 20 20		(a)	and Aerial and Precip anow Pillow
							6	DKA T				ND m (example taslon Gag	Marker are Station are Station ge Only.
		Lakes ummit	2 3 hesne	PR I CE R I VER Correl Day Volley Divide Gooseberry Reservoir Grossy Troil Creek-Left Fork Mayd Creek Timberline White River # 1 White River # 2 White River # 3	>		Aer	ت ۱۸۳	ER it			LEGEND Numbering System (example) urse Only. urse And Soll Patterine Gaste	Court and Account and Account and Account and Account Accounts and Account and
	eak	DUCHES NE KIVER Abroad Basin Brown Duck Ridge Chepterd withfrendsk Lakes Current Creek Current Creek Est Partol Five Point Lake Indian Caryon Lake Basin Lake Rose Lake Basin Lake Rose Lake Rosen Lake Rosen	altekerby Mountain Jakefork Mountain #3 Lakefork Mountain #3 Lightning Lake Mostly Mountain Paradise Park Took Greek Took Greek Took Took Strawberry Divide West Fork of the Duchesne	/ER Divide Reservoir Creek-L	SAN RAFAEL RIVER Buck Flag Buck Flag Buck Ride Red Fine Ride Red Fine Ride Seeley Creek Such Pond Vision Creek Shurt R. S. Upper Joe's Volley Wrigley Creek	8lack's Fork Dill's Camp	Block's Flot-U.M. Creek Donkey Reservoir Fish Lake Johnson Valley	SOUTHEASTERN U Buckboard Flat Camp Jackson LaSal Mountain LaSal Mountain (upper) Monticello Park	ESCALANTE RIVER Widtsoe-Escalante Summit Widtsoe-Escalante #2 Widtsoe-Escalante #3 VIRGIN RIVER	Kolob-Crystal Long Valley Junction Webster Flat		Number of the Course ow Course ow Course	ow Course ow Course ow Course orage Preciow Course
ń.	Tokewanna Peak Windy Park	CHESN bood Basin and Duck I peta-Wh ant Cree iels-Stro Portal Point Lc Point Lc Basin fork Basin	efork Mo efork Mo fork Mo tring La by Moun dise Park Creek Creek low Lake wberry D	PRICE RIVER Cornal Cornal Gooseberry Resei Grassy Trail Cree Grassy Trail Cree Inheritier Hiver #1 White River #3 White River #3	SAN RAFAEL R Buck Flat Hurtington-Horsesh Red Pine Ridge Kush Pond Seeley Creek Stuart R. S. Uupper Joe's Volley Wrigley Creek	8lack's Fork Dill's Camp	k's Flot- key Reser Lake son Vall	JIHEA board Fl p Jackso I Mount I Mount ficello P	ESCALANTE RI Widtsoe-Escalante Widtsoe-Escalante Widtsoe-Escalante Vidtsoe-Escalante	b-Crysta Valley ster Flat			0,774 ST 10,774 ST 10,774 ST 10,775 ST 10,775 ST 10,775 ST
re NAME					8 Buck Buck Rush Seel Stud Wrigh	8lac Dill'	Bloc Donk Fish John	Beck LaSa Mon	ES C Widt Widt Widt	Kolo Long Webs		000	22222
STATE	חם					ככ	2222	22222	222	222			
NO.	10J31P 9J12op	10,2% op 10,1% op 10,	0.010P 0.0112 0.0129P 9.15 9.13P 0.0132P 0.0132P 0.0132P	10K5M 11K8 11K4P 10K3M 11K7 11K33MP 10K6 10K2MP 11K24	11K31P 11K5 10K2MP 11K9 11K2 11K29 11K32	11K14 11K15P	1114P 1113P 1116	9M1P 9M2P 9L1 9L2P 9M3	11M1 11M2PT 11M3P	13M5PS 12M6 12M3MPT			
	_							8888		222			
				000000 0000	2000000000	000					20020	222222222	2000
ELEV	5,500 8,140 9,800	8,000 6,450 7,460 7,000 7,400 7,400 8,500 8,700	9,800 8,700 9,700 8,700 8,200 11,400	7 6 8 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	8 8 800 8 8 800 9 6 600 9 7 7 8 8 800 7 7 8 8 800 8 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	6,020 10,290 8,200	9,300	8,800 8,700 8,700 8,000	8,200		River) 10,500 10,500 10,500 10,500 10,500 10,500	8,500 10,000 10,000 9,500 9,100 10,250 10,250 10,680 10,680	8,00
RGE	3E 9E				33243344525	%X 4₩ 5₩		A			191 121 111	22E 13E 13E 17E 16E 17E 17E	
TWP	45 25	X E		275 375 365 385 385 275 275 345 Pitch Riv 195 33 235 34 37 57	235 135 175 175 225 225 185 185	295 295 9 295		35 355 355 355 DRAIN 385 385	37.5		ove Dr	% \$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	
SEC.	27 33 5	25 24 24 24 24 24 24 21 24 32 32 33 33 35 35 35 35 35 35 35 35 35 35 35	21 (South of Richfield, 33 36 23 11 32 32 34 36	11 275 26 375 26 375 26 365 29 385 29 385 22 345 (Including Son Pitch River) 27 195 27 195 27 195 28 33 235 27 175 28 37 775	222 222 24 4 9 19 13 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	23 18 8 & 9	10 10 17		18		UTAH (ab 20 25 33 14 14	23 32 23 24 33 4 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	2 6 5 7
			(South a	(Includ	Creek			26.83 202 202 203 14ARMONY			7		
	d E	S GR ent Can)	RIVER	R I V E.R	onwood		<u> </u>	NE W			RIVER Gast Fork	.; .;	×
	Cove Co Divide	RIVEF k Divide in k ron #2 ron h Fork -Settlem (8rightol	ek VIER on PY R.S.	ine lley ake int igs E V I E R Lake Headqua	Springs	Track Valley	N CRE	ervoir ISE TC y Greek	¥	INAGE	REEN Lakes G.SE	ge S. S. ark ail ail (ever n (lower	rk rk Park
Á	Timpanogos Cove Camp Timpanogos Divide Trial loke	JORDAN RIVER & GREAT Beover Creek Divide Bevort, Cobin Bevort, Cobin Mildle Carryon Mildle Carry	Vernon Creek UPPER SEVIER RIVER Box-Creek Gastle Valley Forster R.S. Forview Harris Forl Harris Forl High-Top Mountain	Kilmberly Mine Midway Valley Panguiteh Lake Benhaw Point Squaw Springs Widtsoe R. S. LOW ER SEVIER RIVER Beaver Dan G. B. R. C. Heedquarters G. B. R. C. Mandauries	Coostberry R.S. Mamonoh R. SContonwood C. Middle Fork Middle Fork Code Creek Pickle Kest Springs Pine Creek Fine Creek Fine Shingle Mill Phisle Flat	8EAVER RIVER Beaver Race Track 8ig Flat Merchant's Valley	Otter Lake PAROWAN CREEK Birch Crossing Brian Head Er Ward Flat	Tall Poles Yankee Reservoir ENTERPRISE TO Little Grassy Creek Long Flat	COAL CREEK SUSC Ranch	DRA	UPPER GREEN RIVER Ashley Twin Lakes Black's Fork G. S. – East Fork Black's Fork Junction Burnt Creek	Grizzly Ridge Henry's Fork Hewinto G.S. Hekerson Park Highline Trail Highline Trail Highline Trail King's Cabin (lower) King's Cabin (lower) McCoy Park	idle Bearnolds Pa rit Lake el Creek
TE NAME									- 05	ADO RIVER DRAINAGE			
STATE	222					DDD:			Þ	RADO		22222222	
ÓN	11J18P 11J21P 10J8P	11) 465p 12,12 12,15p 11,14 p 11,14 11,110 11,110 11,110 11,110 11,110	12K2P 12L4P 12M3P 12M13P 12M4P 12M18 12M5	12L6P 12M2M 12M7P 12L5 11M4P 11K13P 11K13P 11K11P	111.2P 11K3MP 11K34 11K2P 11K39PS 11K39PS 11K36 11K36	12L13 12L7PS 12L9PS	12L8 12M16 12M14 12M17	12M11P 12M11P 13M4MP 13M2MP	12M17	COLOR	9J11aP 10J21P 10J22P 10J23a 9J14P	9.13P 10.124P 10.14P 9.18P 9.15p 10.13 9.12 9.11P	1012 9.110aP 9.17P 10.120p
					•								
·	000	0000000000	000000000	00000000000	0000000000		000000	00000	0000000	0000000	000000	00000000	0000
ELEV.	8,70 7,90 7,50	10,000 9,400 8,200 9,000 9,300 8,800 7,900 7,900 8,500 8,550	7827,42887,4 8,46,6,6,44,46,6,6	7,350 8,500 7,600 7,600 7,000 8,000 8,240 6,000 6,550	882585884586	7, 15	6,000 6,000 6,780 8,230 8,050	8,42 8,40 8,40 6,30	7,500 7,900 7,500 7,500 8,000 7,400	9, 8, 8, 8, 6, 9, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8, 8,	02,88,90	7,300 9,200 8,000 6,600 7,560 7,420 9,100	8,05 6,75 7,80 6,10
RGE		96 7 118% 116% 116% 116% 115%		426 44 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4					7E 8E 77 7 7 8 8 8 8 8 8 8 8 8 8 8 8 8 8			98668	
TWP		111 225 17 226 17 200 200 20 20 20 20 20 20 20 20 20 20 2		35 24 24 24 25 25 25 25 25 25 25 25 25 25 25 25 25				24444	2 2 2 2 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3			\$4.52.50 \$2.	50884
SEC.	Harer, Idaho) 7 19 9	25 25 7 7 7 7 7 7 19 19 15 15 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	27 29 29 33 33 33 33 33 33 33 33 33 33 33 33 33	21 24 34 & 35 24 24 24 31 10 10 15	. 28 52 7 0 0 4 5 5 1 5 9 5	22 23	34 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	25 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	28 17 & 20 7 7 14 26 29	22 122 273 273	22 22 1 17 17 15 25	E 29 27 27 27 23 34 27 27 27 27 27 27 27 27 27 27 27 27 27	24 9 150
	(above Har	below Harer.										H LAKE	
		00	ation and a second	Emigrant Summit Emigrant Summit Emigration Canyon (mouth) Fronk lin Basin Canyon City Summit George Rede Hell Canyon Herd Hollow Horsethee Basin Klondie Narrows Libert's Springs Lither's Spring	ride Station	Creek	Ben Lomond (lower) Ben Lomond Trail Causey Dom Cyller Creek Dy Bread Pond Gyilder's Peak	deaway	Beaver Creek R.S. Cholk Creek 1 Cholk Creek 1 Cholk Creek 2 Cholk Creek 8 Famington Canyon (lower) Famington Canyon (upper) Framington Canyon (upper) Framcis Canyon		± 00	PROVO RIVER & UTAH Clear Creek Ridge #1 Clear Creek Ridge #3 Clear Creek Ridge #3 Dutchman R. S. Pubble Creek Summit Ackled Creek Summit Ackled Creek Summit	
ı.	AR RI Ranch ×	k station and Station and Station o R.S. o R.S. dows x unmmit x unmmit x amp	Ranch rreek Nountain Aanger St k	Canyon (Canyon (Sin V Summit K K O O O O O O O O O O O	untain myon Diyide w #1 Creek Creek Mink Diy Lake Ranger ings	R I V E R ek-Skunk Peak	I (lower) I Trail ik ond	Cogden Intain Buntain St. Tat	k #2 k #3 Canyon Canyon	Lake e ek	nyon Sun e (lower e (upper kes 1 Flat rehouse	RIVER nont Ridge f Ridge f Rid	R. S.
IE VINAG	UPPER BEAR RIVER Big Park Burts-Miller Ranch CCC Camp x	Gold Hill Hoyden Fork Kelly Ranger Station Kelly Ranger Station Lily Lake Guard Station × Lily Lake Guard Station × Lily Lake Guard Station × Forlian Meadows × Forlian Meadows × Stati River Summit × Smale Basin × Sitilwarer Camp LOW ER BRAR RIVER	Lake Ichgrass istensen mamon Cirkston Mirkston M	igrant Sunklin Bai nklin Bai rden Cit orge Pea orge Pea Il Canyo d Hollow seshoe B andike N erty Spri tle Bear	ford Mount ford Mount ford Mount ford Mount for the form of the fo	WIIIOW FIGT OGDEN RIVER Beaver Creek-Skun Ben Lomond Peak	Lomond Lomond usey Dan Her Cree Bread P	Magpie Middle Fork Ogd Powder Mountain Powder Mountain Sagebrush Flat WEBER RIVER	wer Cree alk Cree alk Cree alk Cree mington mington	r Shingle dscrabbl odoo Kno se Ridge fore Cre f Creek t Creek	Parley's Canyon Summ Porcupine Redden Mine (lower) Redden Mine (upper) Sergeant Lakes Shingle Mill Flat Smith & Morehouse	PROVORIVER & Camp Alternant Clear Greek Ridge #2 Clear Greek Ridge #2 Clear Greek Ridge #2 Clear Greek Ridge #3 Dutchman R. S. Hobble Creek Summit Packord Canyon	k Bridge
NO. STATE NAME GREAT BASIN DRAINAGE		W W W W W W W W W W W W W W W W W W W	2 3 3 5 5 5 5 5 3 5 8 6 6	######################################	*		22222						
STATE T BASIN													
NO.	10G11 10J6P 10G7	10J36p 10J7P 10J7P 10G12 10G35p 11H12P 10G60 10G8P 10G13MP	11H37p 11H36p 11G11 11H38p 12H1p 11G12 11H33P 11H33P 11G14a	11G6 11G7 11G8MP 11H7MP 12H2P 11H4QP 11H1MP 11G13 11H26	11146 11055 111466 11167 11167 111610 111419 111419	11H14M	11H9P 11H30P 11H35p 11H29 11H134p	11H42p 11H45p 11H49 11H15P	11,24 11,11P 11,12MP 11,13MP 11,11PS	11)45, 11)37 _P 11H43 _P 11H31P 11H32P 11J43	11.1.58 11.1.38 11.1.58 11.1.39 11.1.40 11.1.40	11.20 11.622 11.623 11.1229 11.136	11K2 11J25P 11J19

. OREG 1974 M7-OL-22027

Agencies Cooperating in Utah Snow Surveys

U.S. GOVERNMENT AGENCIES

- U.S. Department of Agriculture Soil Conservation Service Forest Service
- U.S. Department of Commerce NOAA, National Weather Service
- U.S. Department of Interior
 Bureau of Reclamation
 Geological Survey
 National Park Service

STATE AGENCIES

Utah State University
Utah Fish and Game Department
Utah State Department of Natural
Resources, Division of Water Rights
Bear River Commissioner
Price River Commissioner
Provo River Commissioner
Sevier River Commissioners
Spanish Fork River Commissioner
Utah Lake and Jordan River Commissioner

MUNICIPALITIES

Manti Salt Lake City

ORGANIZED PUBLIC AGENCIES

Beaver River Water Users Association
Board of Canal Presidents - Jordan River
Emery Canal and Reservoir Company
Moon Lake Water Users Association
Ogden River Water Users Association
Provo River Water Users Association
Strawberry Water Users Association
Sevier River Water Users Association

PRIVATE AGENCIES

Kaiser Steel Corporation

UNITED STATES DEPARTMENT OF AGRICULTURE SOIL CONSERVATION SERVICE FEDERAL BLDG., - ROOM 4012 125 SOUTH STATE ST.

OFFICIAL BUSINESS PENALTY FOR PRIVATE USE, \$300

SALT LAKE CITY, UTAH 84138



FIRST CLASS MAIL

MATICALL AGRICULTRIA TOTAL

FEDERAL - STATE - PRIVATE

COOPERATIVE SNOW SURVEYS

domestic and municipal water supply, hydro-electric power water supply for irrigation, generation, navigation, necessary for forecasting Furnishes the basic data mining and industry "The Conservation of Water begins with the Snow Survey"